

BLIND RIVETERS

1 - HUCK® HAND HYDRAULIC RIVETER

The HK150A features a moveable jaw design which allows it to pull 1/8", 5/32", and 3/16" Cherrymax® rivets without any additional attachments. It will also pull many other types of blind rivets ranging from simple Pop® rivets to sophisticated Monobolts® in sizes ranging up to 1/4" steel rivets. Hand hydraulic action exerts 3500 lbs. of pull. Weighs only 18 ounces. Approved for use on U.S. Government applications. Made in U.S.A.

- No. HK150A.....
- No. 202159(1/8" nominal Cherrymax nosepiece)
- No. 202122(Replacement 2-piece jaws)
- No. 202929(Replacement 3-piece jaws)
- No. HKR205.....(Rivnut Conversion Kit)



2 - HUCK® AIR POWERED RIVETER

The AK175A is the air powered counterpart to the HK150A. It is the most compact air-reciprocating hydraulic riveter on the market. It will pull Cherrymax® rivets in 1/8", 5/32", and 3/16" sizes. It will also pull Pop® and Monobolt® rivets (Monobolt nosepieces are sold separately). A unique patented design allows it to travel a full 5/8" at full force in one cycle. Weighs 28 ounces. Develops 3500 lbs. of pull at 90 psi. Made in U.S.A.

- No. AK175A.....
- No. 202159(1/8" nominal Cherrymax nosepiece)
- No. 202168(3/16" Monobolt Nosepiece)
- No. 202169(1/4" Monobolt Nosepiece)
- No. 202122(Replacement 2-piece jaw set)
- No. 202929(Replacement 3-piece jaws set).....
- No. HKR205.....(Rivnut Conversion Kit)



3 - SWIVEL BLIND RIVETER

Newly developed riveter has a swivel head which rotates a full 360° for versatility. It's unmatched by anything on the market. This one riveter will double as a 90° offset riveter, or a straight (inline) puller just by rotating the head. Pulls up to 3/16" Cherrymax® and many other blind rivets without any additional attachments. Patent Pending.

- No. 36021



4 - CHERRY TEXTRON™ BLIND RIVETER

Cherry Textron hand riveter is ideally suited for installing Cherry-Q, Pop Rivets, or Avex Rivets in sizes 5/32" through 3/16" aluminum or up to 1/8" steel rivets. Includes three popular size nose pieces, 1/8", 3/16" and 5/32". Weight: 13 oz. Length: 9-1/4"

- No. G28




5 - HUCK® POWER RIVETER

The new Huck Riveter is a lightweight (only 4.8 lbs.), low cost, production quality tool designed to install Huck MAGNA-Grip® and various other fasteners. Comparable to the Cherrymax® G784 and G744 Riveters. Nosepieces must be ordered separately. Adapters available for most Cherrymax® pulling heads.

- No. 2025(Power Riveter)
- No. 99-3487 (3/16" & 1/4" MGL Nosepiece)



BLIND RIVETERS



1 - ATS AIR HYDRAULIC RIVETER

Our new riveter is compact and lightweight yet delivers a whopping 2,300 lbs of pulling force to effortlessly pull up to 3/16" (4.8mm) steel rivets. Comes complete with nosepieces for 1/8", 5/32", and 3/16" rivets. Includes stem deflector for added safety.



- Pulling Force 2,300 lbs (1,045 Kg)
- Rivet Capacity 3/16" aluminum or mild steel
- Stroke Length .63" (16 mm)
- Nosepieces: 3/32" (2.4 mm), 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm)
- Weight 3.26 lbs (1.48 kg)

No. **ATS8805** (Standard)

No. **ATS8806**(Heavy Duty)

No. **3047RP**(Replacement Jaws)

2 - ATS AIR HYDRAULIC RIVETER KIT

Our newest riveting kit features our ATS8805 riveter plus an assortment of tools to keep it in peak operating condition, all in a molded high impact case.



- Pulls 3/32", 1/8", 5/32", and 3/16" rivets.
- Includes Stem Catcher
- 2300 lbs pulling force
- .63" Stroke length.

Accessory Kit Contains: An assortment of 40 pop rivets in sizes 3/32", 1/8", 5/32", and 3/16"; 1 set replacement o-rings and seals (1 t); Oil Bottle; replacement spring set (3); replacement valve pusher; replacement jaws and jaw case; wrench set; high impact molded case.

No. **ATS8805K** (Complete Kit)

3 - ATS INLINE RIVETER WITH COLLECTOR

This riveter gets you into some very tight spaces. It's unique inline configuration allows you to use it to do construction or repairs through openings such as inspection holes or wheel wells.



- Pulling Force 2400 lbs (1090 Kg)
- Rivet Capacity 3/16" aluminum or mild steel
- Stroke Length .768" (19 mm)
- Built-in vacuum collection system
- Weight 4.11 lbs (1.87 kg)
- Nosepieces: 3/32" (2.4 mm), 1/8" (3.2 mm), 5/32" (4.0 mm)

No. **ATS8802V**

4 - ATS HEAVY DUTY RIVETER WITH COLLECTOR

A powerful riveter with a built in vacuum collection system to store stems.



- Pulling Force 2400 lbs (1090 Kg)
- Rivet Capacity 3/16" aluminum or mild steel
- Stroke Length .768" (19 mm)
- Built-in vacuum collection system
- Weight 4.11 lbs (1.87 kg)
- Nosepieces: 3/32" (2.4 mm), 1/8" (3.2 mm), 5/32" (4.0 mm)

No. **ATS8821V**

5 - ATS EXTENDED REACH RIVETER W/ COLLECTOR



This specialty riveter is for reaching into those really deep areas. Vacuum collection system keeps stems safely stowed in collector.

- Pulling Force 1,300 lbs (600 Kg)
- Rivet Capacity 5/32" aluminum or mild steel
- Stroke Length .63" (16 mm)
- Extended nose dimensions: 8.00" long x .635" diameter
- Nosepieces: 3/32" (2.4 mm), 1/8" (3.2 mm), 5/32" (4.0 mm)
- Built-in vacuum collection system
- Weight 2.7 lbs (1.2 kg)

No. **ATS8814VE**


6 - ATS MONOBOLT RIVETER

With a heavy duty jaws and a pulling force of nearly 4,000 lbs, the new ATS Monobolt Riveter will easily draw 3/16" and 1/4" diameter rivets. Suitable for use with Avdel Monobolts® (27xx series), and Huck Magna-Loks® (MGL and UMGL series).



- Pulling Force 3,841 lbs (1,745 Kg)
- Rivet Capacity 1/4" aluminum or mild steel
- Heavy Duty Jaws
- Nosepieces: 3/16" (4.8 mm), 1/4" (6.4 mm)
- Weight 3.85 lbs (1.75 kg)

No. **ATS8813**



BLIND RIVETERS

1 - TAYLOR PNEUMATIC BLIND RIVETER

A quality Pneumatic riveter designed to rivet 3/32" through 3/16" aluminum and steel blind rivets. Comes with 1/8", 5/32" and 3/16" nosepieces. Very compact design. Weighs 3.5 lbs. Operates on 80 to 100 psi air pressure at 4.2 CFM.

- No. 3047
- No. 3047RP (Replacement jaws)



2 - HAND POP RIVETER

Four interchangeable nosepieces for 1/2", 3/8", 5/32" and 3/16" Rivets.

- No. 511



3 - DELUXE POP RIVETER KIT

Includes case, tool, wrench, removable nosepieces for 3/32", 1/8", 5/32" and 3/16" rivets. Over 200 assorted rivets.

- No. 200KT



4 - RIVENUT INSTALLER KIT

Complete kit includes tool, nosepiece, and mandrels in sizes 6-32, 8-32, 10-32, and 1/4-20, plus an assortment of rive-nuts

- No. 20RNK
- No. 20RNK-6-32 (Replacement 6-32 mandrel).....
- No. 20RNK-8-32 (Replacement 8-32 mandrel).....
- No. 20RNK-10-32 (Replacement 10-32 mandrel).....



5 - HEAVY-DUTY RIVENUT INSTALLER KIT

Industrial strength rivenut tool is made from forged steel to withstand hard use. Unique design allows mandrels to be replaced quickly and easily. Kit includes mandrels and an assortment of rivenuts for the following sizes: 6-32, 8-32, 10-32, 10-24, 1/4-20, 5/16-18, and 3/8-16.

- No. 39213
- No. 39254 (Replacement 6-32 mandrel).....
- No. 39255 (Replacement 8-32 mandrel).....
- No. 39257 (Replacement 10-32 mandrel).....
- No. 39271 (1/4-28 mandrel)



BLIND RIVETERS



1 - SIOUX™ PNEUMATIC RIVENUT INSTALLATION TOOL

The Sioux Rivenut Installation Tool is ergonomically designed for maximum comfort, yet rugged enough for continuous duty service. It efficiently installs rive-nuts, thread-serts, and clinch nuts, in all grip ranges up to and including 1/4 "x 20 (thread-serts up to 3/8" x 16). Features include Interchangeable nosepieces and mandrels, and a button release trigger for quick forward and reverse operation. Operates at 1200 RPM, using 90 psi (6.2 bar) and consumes 30 cfm (14 ls). 78 dB sound level. Wt. 3.4 lbs.



PART NUMBER	SIZE	MAX TORQUE	LENGTH	PRICE
CN9P12632	6-32	120 in-lb (14 Nm)	10.4" (265mm)	
CN9P12832	8-32	120 in-lb (14 Nm)	10.4" (265mm)	
CN9P12032	10-32	120 in-lb (14 Nm)	10.4" (265mm)	

Note: This product is available in many other configurations and features a wide variety of options.

2 - SPEED DRIVER RIVENUT INSTALLER

Fast economical hand tool for installing aluminum or steel rive-nuts or thread serts. Conversion kits are also available that allow you to change the tool size.

INSTALLATION TOOL		CONVERSION KIT		REPLACEMENT MANDREL	
Part No.	Price	Part No.	Price	Part No.	Price
C50-6000-4x40	109.95	C50-4x40	62.95	C5000-4x40	
C50-6000-6x32	109.95	C50-6x32	45.95	C5000-6x32	
C50-6000-8x32	109.95	C50-8x32	45.95	C5000-8x32	
C50-6000-10x32	109.95	C50-10x32	45.95	C5000-10x32	
C50-6000-10x24	104.95	C50-10x24	41.95	C5000-10x24	



3 - RIVET NUT TOOL

The Rivet Nut Tool is an inexpensive alternative to industrial drivers. It's design enables the rivet nuts to be seated tighter than with conventional tools. Compact design takes up less room in your tool box. Complete kit contains driver, plus mandrels for 6-32, 8-32, and 10-32 rivet nuts. Made in USA..

No. RNT01



4 - HAND RIVENUT INSTALLER

Unit is simple to use and allows an inexpensive, efficient means for installing rive-nuts.

No. RN190-6-32.....(Installs 6-32 rive-nuts)

No. RN190-8-32.....(Installs 8-32 rive-nuts)

No. RN190-10-32.....(Installs 10-32 rive-nuts)



5 - POP RIVENUT INSTALLER

Convert your conventional hand pop riveter into an economical Rive-Nut installer tool.

No. R290-6-32.....(Installs 6-32 rive-nuts)

No. R290-8-32.....(Installs 8-32 rive-nuts)

No. R290-10-32.....(Installs 10-32 rive-nuts)



6 - RIVENUTS

Aluminum "notchless" threaded nut. Grip length of .010 to .075 inches. Sold in packages of 10 pieces.

No. RIVNUT-6(6-32)

No. RIVNUT-8(8-32)

No. RIVNUT-10(10-32)

