



SERVICE & SUPPORT

MEYER HYDRAULICS® AIRCRAFT JACKS

Meyer Hydraulics Aircraft Jacks have served as the general aviation industry standard for over 45 years. Professional mechanics and service technicians all over the world rely on Meyer Jacks to confidently lift propeller, and jet aircraft with the security and features one should demand in aircraft jacks.



AJS UNIVERSAL AIRCRAFT JACK SETS

A complete lifting system to handle most light aircraft. Includes two (2) A422 jacks; (2) A434 jacks; (2 sets) AJL extension legs; (2) AT42228 slide tubes; (2) AT42234 slide tubes; (2) AT43454 slide tubes; (2) ATC-4 extension caps; (2) ATC-8 extension caps; and (1) ATS tail stand. The AJS2 Deluxe Jack Set includes an extra A422 jack; (1) AT42228 slide tube, and (1) ATC-4 cap to support ALL retractable gear aircraft up to 8,000 pounds. The AJS3 Premium Set adds (2) extra A427 jacks.

No. AJS (Standard Set) \$

No. AJS2 (Deluxe Set) \$


No. AJS3 (Premium Set) \$

AIRCRAFT JACK SELECTION GUIDE				
AIRCRAFT	JACKS	TUBES	LEGS	STAND
Aero Commander	(2) A434	(2) AT43454	(2) AJL	(1) ATS
Beech: 91, 1900, King Air Super 200	(3) A334B			
Beech: Model 50, Queen Air	(2) A434 (1) A422	(1) AT42234		
Beech: Baron, Bonanza, Debonair, Travelaire	(2) A422			(1) ATS
Cessna Caravan 208	(2) A328B (1) A427			
Cessna Cardinal RG	(2) A434	(2) AT43454 (2) ATC-8		(1) ATS
Cessna Citation I, II, & V	(2) A325B (1) A322B			
Cessna Citation III, VI, VII	(2) A334B (1) A325B			
Cessna Citation X	(2) A342C (1) A334B			
Cessna: All high wing (except Cardinal)	(2) A434	(2) AT43454 (2) ATC-8	(2) AJL	(1) ATS
Cessna 300 & 400 Series	(3) A427			
Cessna Mustang (VLJ)	(3) A421			
Eclipse 500 (VLJ)	(2) A419 (1) A427	AT-EC01		
Falcon 10	(3) A328B			
Falcon 20	(3) A334C			
Falcon 50	(3) A340C			
Gulfstream (Grumman)	(2) A342B (1) A334B			
Lear Jet	(2) A330B (1) A322B			
Lockheed Jetstar	(3) A334B			
Merlin II, III, & IV	(3) A342B			
Mitsubishi MU-2	(2) A360A (1) A328B			
Mooney: All models	(2) A422			(1) ATS
Navion	(2) A427			(1) ATS
Piper Cheyenne	(2) A334B	(1) ATS-AA72		(1) ATS
Piper: All models (except Navajo & Aerostar)	(2) A422			(1) ATS
Piper Navajo & Aerostar	(2) A434			(1) ATS
Sabertliner	(3) A328B			
Turbo Commander	A360A			
Westwind	(2) A334B			

AIRCRAFT JACKS				
Part No.	Old No.	Range	Capacity	Price
A322B	A-10	22"-36"	16,000 lbs	\$
A325B	A-2516	25"-42"	16,000 lbs	\$
A328B	A-9	28"-48"	16,000 lbs	\$
A330B	A-11	30"-50"	16,000 lbs	\$
A334B	A-17	34"-60"	16,000 lbs	\$
A334C	-	34"-60"	24,000 lbs	\$
A340C	A-15	40"-71"	24,000 lbs	\$
A342B	A-13	42"-75"	16,000 lbs	\$
A342C	A-1324	42"-75"	24,000 lbs	\$
A355C	A-5524	55"-95"	24,000 lbs	\$
A360A	A-60	25"/42"	10,000 lbs	\$
A419	-	19"-34"	6,000 lbs	\$
A421	-	21"-38"	6,000 lbs	\$
A422	A-5	22"-36"	6,000 lbs	\$
A427	-	27" - 46"	6,000 lbs	\$
A434	A-6	34"-58"	6,000 lbs	\$

ACCESSORIES			
Part No.	Old No.	Description	Price
AJL	-	Ext Legs (4), 10", for A434	\$
AT-EC01	-	Slide Tube, 28"-47", for A427	\$
AT42222	AT-1	Slide Tube, 22"-36", for A422	\$
AT42225	-	Slide Tube, 35"-39", for A422	\$
AT42228	AT-28	Slide Tube, 28"-42" for A422	\$
AT42234	AT-3	Slide Tube, 34"-48", for A422	\$
AT42727	-	Slide Tube, 27"-46", for A427	\$
AT42734	-	Slide Tube, 34"-53", for A427	\$
AT43434	AT-2	Slide Tube, 34"-58", for A434	\$
AT43454	AT-4	Slide Tube, 54"-78", for A434	\$
ATC-4	-	Tube Cap, 1" to 4" Extension	\$
ATC-8	-	Tube Cap, 1" to 8" Extension	\$
ATS	-	Tail Stand, 30" to 51-1/2"	\$
ATS-AA72	-	Slide Tube, 51"/72" for ATS	\$

SERVICE & SUPPORT



1 - DELUXE BRAKE BLEEDER TANK

Our new Deluxe Brake Bleeder Tank has been completely redesigned to resist the solvent effects of most types of aviation brake fluids. The high-impact plastic reservoir and specialized seals are compatible with 5606 and Skydrol. The hand operated pressurizing pump has also been totally re-engineered to deliver more pressure with fewer strokes. You will get everything needed to fit most brake receptacles.

- No. 225DX..... (With Universal & Cleveland adapters).....
- No. A255 (Universal adapter).....
- No. 1246 (Cleveland brake adapter)



2 - BRAKE BLEEDER EXTENSION HOSE (15')

Recharging your brake system is normally a two-man operation wherein one man controls the flow, while the other monitors the master cylinder. This 15 foot brake bleeder extension hose essentially reduces recharging to a one-man operation by allowing you to cover both bases at once. Just hook it up to your 225DX Brake Bleeder Tank (not included. See page 110), and you will be able to take the tank to the cockpit and control the refill process from there while you monitor the master cylinder.

- No. 225DX-15H.....



3 - BRAKE RELINING TOOLS

Our new W404 brake relining tool makes it virtually impossible to botch a brake relining job. The threaded screw action of the rivet insertion tool insures a perfect roll on brake rivets every time without damaging the liner. Machined steel, not cast. Made in U.S.A.

- No. W404 (Threaded model)
- No. W403 (Impact model)
- No. 4-4 (Brake relining rivets, pkg. of 100)



4 - AIRCRAFT TIRE & WHEEL BALANCER

The Desser Wheel & Tire Balancer will do exactly the same job as the old Goodyear tire balancer at a fraction of the cost. It works with any assembly having at least a 1" axle, up to a 35" diameter tire. This covers any general aviation aircraft tires/wheels from 500-4 Ercoupe, to corporate and regional sizes up to a 35/11-18 Gulfstream main tire assembly. Features include: lightweight aluminum frame, hard anodized aluminum securing cones, Black oxide alloy steel balancing shaft and high tolerance bearings. Comes complete with instructions and starter weights to completely and accurately balance your tire/wheel assembly. Manufactured in the U.S.A

- No. AS01
- No. AS01-SW..... (.25 oz weights-5 pcs).....




5 - MEYER® TIRE BEAD BREAKER

Easily adjusts for a wide range of aircraft tires up to 14" inches in diameter. Quality construction for dependable service.

- No. AB-1





SERVICE & SUPPORT

1 - ATS AIRCRAFT STRUT PUMP

Our new Aircraft Strut Pump delivers up to 1,500 PSI of pressure to raise struts without the need to place the airplane on jacks. Safety one-shot air delivery system gives you maximum control over the entire process -- each stroke of the delivery valve injects a small shot of pressurized air into the strut so that you can raise it in controlled increments. Virtually zero chance of accidentally overpressurizing and possibly damaging your struts.

- Design now features 6061-T6 Aluminum construction for lightweight durability
- Operates on 50 to 150 psi air pressure (100 psi recommended)
- Enhanced high pressure valve system rated at over 3,000 psi
- True 10X pressure magnification produces over 1,500 psi from 150 psi source
- Also works with Nitrogen delivery systems
- Safety "one-shot" system delivers pressure to strut in controlled increments.
- 24" High Pressure Delivery Hose
- MADE IN U.S.A.



No. 675A

2 - STRUT SERVICING EQUIPMENT

Our kit contains all of the hardware you'll need to deliver nitrogen to tires and struts from a nitrogen bottle. It includes a regulator, gauges (input & delivery), shut off valve, 12' hose, and a strut coupler. There are two types to choose from: Low pressure for nose struts and high pressure for main struts. Bottle (input) pressure gauge ranges 0-4000 psi. Delivery pressure gauge ranges 0-500 psi for the low pressure model, and 0-2500 psi for the high pressure model. Does not include nitrogen bottle.

No. 606 (0-500 psi Delivery Pressure).....

No. 607 (0-2500 psi Delivery Pressure).....



3 - DUAL RANGE TIRE PRESSURE GAUGE

Accurately measures tire pressure up to 200 psi in 5 psi increments. Dual calibrations; psi in black and kg/cm2 in red. Accurate to within 5%.

No. 980400



4 - SCHRADER STRUT COUPLER

The Schrader "gooseneck" coupler is used to connect to the inflation valves of most types of aircraft struts. They are used in conjunction with a strut pump or a nitrogen bottle to deliver the pressurized air needed to inflate a strut. One end fits directly to the strut and the other has a 1/8" NPT Female thread.

No. SK2043C




5 - SCHRADER HIGH PRESSURE STRUT COUPLER

The Schrader Tee-coupler attaches directly to the strut valve to inflate or deflate the strut via the built-in core depressor pin. It attaches securely by hand or wrench to the valve threads (.305-32 thread size) and forms a perfect seal at up to 3000 psi. The air line connector is a 1/8" NPT male thread.

No. 556



SERVICE & SUPPORT



1 - CAULK MASTER® AEROSPACE SEALANT GUN (SEMCO TYPE)

Caulk Master air powered dispensing guns give you a level of control simply unattainable with manual guns. The patented Valox® grip trigger mechanism gives you the exact amount of caulk, sealant, or adhesive you need, so you can dispense material at a smooth steady pace. Even "weep" at the end of a run is a thing of the past... when you stop squeezing the trigger, the flow stops immediately. This gun will dispense all Semco (PRC DeSoto) type cartridges containing sealant or adhesives. Comes with a 3 foot air hose and standard 1/4" NPT fitting. 70 PSI operating pressure.

- No. PG10260.....(Complete Gun w/ 6oz Retainer)
- No. 102025(2.5oz Retainer)
- No. 102060(6.0oz Retainer)
- No. 102120 (12oz Retainer).....



2 - MINI-MIXER SEMKIT PACKAGE MIXER

The mini-mixer is a newly patented tool designed to quickly and efficiently mix all types of pre-filled Semkit® packages, regardless of viscosity. The mini-mixer conveniently fits onto any air or electric drill with a 3/8" chuck and will work with both injection and barrier style packages. Use the mini-mixer to reduce fatigue and provide a more uniform mix than is possible by hand. The mini-mixer is tiny enough to fit into your shirt pocket, yet it will perform the same job as the larger industrial mixers costing hundreds of dollars.

- No. MMX01



3 - TORQUE SEAL™

Torque Seal is an inexpensive method to detect warranty tampering; and vibration loosening. Used in production on compression fittings, studs, nuts, parts, and assemblies after they are in proper torque or position. Inspectors can visually detect any movement or tampering

- No. F900-R (Red).....
- No. F900-Y..... (Yellow).....
- No. F900-O..... (Orange).....



4 - HOSE ASSEMBLY TOOL

For use in assembling AN and STRATOFLEX® 300 series hose fittings.

PART NUMBER	HOSE SIZE	FITTING NUMBER	THREAD SIZE	PRICE
2701-3	-3	300-3	3/8-24	\$
2701-4	-4	300-4	7/16-20	\$
2701-5	-5	300-5	1/2-20	\$
2701-6	-6	300-6	9/16-18	\$
2701-8	-8	300-8	3/4-16	\$
2701-10	-10	300-10	7/8-14	\$
2701-12	-12	300-12	1-1/16-12	\$
2701-KIT	All mandrels listed above plus case			




5 - THE TUBECUTTER™ HOSE CUTTER

The TubeCutter™ is guaranteed to produce a clean, square cut every time. It cuts through Aeroquip lines, rubber tubing, plastic tubing, hydraulic hoses, and pneumatic lines. It's so strong, it'll even cut through Kevlar reinforced hoses! Manufactured from drop forged steel and chrome plated for durability.

- No. UG1234
- No. UG1234-B..... (Replacement blade).....





SERVICE & SUPPORT

SEMCO® PRODUCTS

1 - SEMCO® AIR SEALANT GUN

The Semco air sealant gun is designed for the quiet, pneumatic application of sealants, adhesives, potting compounds, and other materials packaged in PRC® disposable cartridges. The gun is made of metal and plastic and is engineered to withstand the rigors of the production work place. The handle can be removed to allow more clearance and better manipulation in confined areas. Wt. 1.2 lbs. Note: The air hoses required to operate Semco air sealant guns are sold separately (see below).



Part No.	Description	Price
250A-2	Pistol grip gun with 2.5 oz. Metal retainer	\$
250A-6	Pistol grip gun with 6 oz. Metal retainer	\$
250-2R	2.5oz. metal retainer for 250 series dispensers	\$
250-6R	6oz metal retainer for 250 series dispensers	\$

2 - HOSE ASSEMBLY

All hose assemblies come with a B-nut fitting to attach to the Semco gun and the specified quick connect attachment. Each hose is 5 ft (1.5m) long.

- No. PRC-5A.....(With ARO quick-connect fitting)
- No. PRC-5H(With HANSEN quick-connect fitting).....
- No. PRC-5S(With SCHRADER quick-connect fitting).....



3 - SEMCO® MANUAL SEALANT GUN

The Semco model 850 gun is a hand-operated, high quality dispensing gun designed to accept Semco disposable cartridges or Semkit packages. It is excellent for the "in-field" application of sealants, adhesives, and other materials. A threaded retainer provides a tight fit into the ratchet handle, permitting uninterrupted operation. Wt. 1 lb.



Part No.	Description	Price
850-2	Manual Gun with 2.5 oz. Metal retainer	\$
850-6	Manual Gun with 6 oz. Metal retainer	\$
850-2R	2.5oz. metal retainer for 850 series dispensers	\$
850-6R	6oz metal retainer for 850 series dispensers	\$

4 - PRC® DISPOSABLE CARTRIDGES & NOZZLES

Semco disposable cartridges are molded from high density polyethylene, which makes them capable of handling a wide variety of chemical fluids for storage and application. Use them to load your own adhesives, sealants, lubricants, or other media for use with Semco dispense guns.

Part No.	Description	Price
PRC-2PW PRC-6PW	2.5 oz. Disposable cartridge 6 oz. Disposable cartridge	
PRC-255N PRC-415N PRC-420N PRC-440N	2" nozzle, no orifice 3-1/2" nozzle, no orifice 3-1/2" nozzle with 1/16" orifice 3-1/2" nozzle with 1/8" orifice	



SEMCO and SEMKIT are registered trademarks of PRC Desoto International

SERVICE & SUPPORT



IMPERIAL® PRODUCTS

1 - ROL-AIR® 37° FLARING TOOL

The industry standard Rol-Air® is the choice of professionals. Flares soft copper, aluminum and brass tubing. The faceted hard chrome coated cone rolls out perfect 37° flares above the die block, and then automatically burnishes the flare face while maintaining the original wall thickness at the base of flare. New slip-on yoke permits use in tight quarters. Satin chrome and black finish. *Not recommended for stainless steel.*

No. 507FB.....(3/16", 1/4", 5/16", 3/8", 1/2", & 5/8" O.D. tubing)




Flares rolled out above die by smooth faceted cone. Makes stronger flares.

2 - IMPERIAL® 37° HEAVY-DUTY FLARING TOOL

Forms 37° flares in annealed stainless steel (MIL-T-6345 or AMS5566), cold drawn stainless steel, copper, aluminum, brass, and other soft metals. Ball thrust bearing mechanism reduces the effort required to produce perfect 37° flares, even in stainless steel. Made of hardened tool steel, and features a non-slip grip which securely holds tubing, even after repetitive flaring. Extension on bar can be clamped in a vise for extra support.

No. 447F.....(1/8", 3/16", 1/4", 5/16", 3/8", & 1/2" O.D. tubing)



Flares 1/8" stainless steel primer lines!


3 - ROL-AIR® 37° AVIATION FLARING TOOL

Forms 37° flares in aircraft grade stainless steel (MIL-T-6845), titanium, and other metal tubing, both soft and hard. Positive stop gauge assures correct size of flare. The three rollers in the flaring cone roll out 37° flares above the die block while burnishing the flare face to a smooth finish. A built in extension on the yoke can be clamped in a vise for extra support. Satin chrome and black nickel finish. *Note: Use of the optional 401FA Reamer Yoke is recommended when flaring aviation grade stainless steel tubing.*

No. 400F.....(3/16", 1/4", 5/16", 3/8", 1/2", & 5/8" tubing)

No. 401FA.....(Optional Reaming Yoke for stainless steel)

No. 402FA.....(Kit consisting of 400F & 401FA)




Flares T6845 aviation grade stainless steel

4 - IMPERIAL® GEAR DRIVEN TUBE BENDER

A spur-gear driven bender with 10-to-1 ratio for easy bending of all tempered tubing including MIL-T-6345 aviation grade stainless steel. Can be hand held, clamped in a vise, or bolted to a bench. *Note: each bender will bend only one size tubing.*

Part No.	Tube O.D.	Bend Radius	Weight	Price
270F-06	3/8"	1-3/4"	3lbs	
270F-08	1/2"	2-1/2"	4.75lbs	
270F-10	5/8"	3"	8.5lbs	
270F-12	3/4"	4"	15lbs	
270F-14	7/8"	4"	15lbs	
270F-16	1"	4"	15lbs	



Safely bends T6845 aviation grade stainless steel


5 - INNER-OUTER REAMING & DEBURRING TOOL

Reams both the inside and outside edges of 3/16" to 1-1/2" diameter tubes with the aid of three hollow ground cutters. Fluted body fits comfortably in the palm of your hands.

No. 208F.....(For copper, aluminum, & other soft metals)

No. 208SS.....(For all metals including aviation grade stainless steel).....





SERVICE & SUPPORT

1 - PARKER 37° FLARING TOOL

The heavy duty Parker Hannifin flaring tool is designed to make perfect 37° flares in aluminum, copper, brass, and mild steel tubing. The hardened tri-fluted cone burnishes the tubing as it creates the flare without scoring the surface. A built-in stop positions the tube prior to flaring so that your flares are always perfect. 1 year limited warranty. Tube Sizes 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 5/8", 3/4"

No. 212FB.....



2 - IMPERIAL™ TRIPLE HEAD BENDER

For making 45°, 90° and offset bends in tubing. Bends aluminum, copper, steel and other metal tubing. . Made in USA by Imperial.

No. 367FH (Bends 1/8", 3/16" & 1/4").....

No. 368FH (Bends 3/16", 1/4", 5/16" & 3/8").....



3 - LEVER TYPE TUBE BENDERS

EACH TOOL BENDS ONLY ONE SIZE. Open side type which slips over tube at any point. Makes smooth short radius bends up to 180°.

PART NUMBER	TUBE DIA.	BEND RADIUS	WEIGHT (LBS)	PRICE
4-2829	1/4"	9/16"	1	\$
5-2829	5/16"	11/16"	1	\$
6-2829	3/8"	15/16"	2	\$
8-2829	1/2"	1-1/2"	3	\$
10-2829	5/8"	3"	6	\$
12-2829	3/4"	3"	7	\$



4 - TUBE BENDER

Special nylon forms prevents kinking or flattening. Easy to use with one end of the tube connected, or the unit can be mounted in a vice. For 3/16", 1/4", 5/16", and 3/8" O.D. tubing. Not recommended for 3/8 steel.

No. 44000



5 - MALCO® RATCHET TUBE CUTTER

The new Malco® Ratchet Action tube cutter makes it easy to make clean cuts in tight spaces. Simply insert the tube into the self-ratcheting throat, tighten the cutting wheel, and cut through the tube using a back and forth ratcheting motion. Use it to make fast, clean cuts in copper brass, aluminum, and mild steel. The smaller RTC623 will cut tubes from 1/4" to 7/8", and the larger RTC829 will cut tubes from 5/16" to 1-1/8". Comes complete with spare cutting wheel, and built-in reamer.

No. RTC623 (Small: sizes 1/4" to 7/8")

No. RTC829 (Large: sizes 5/16" to 1-1/8").....



6 - DELUXE TUBE CUTTER


Heavy-duty cutter makes clean, right angle cuts with absolutely no burrs. Kit includes roller, spare cutting wheel and foldaway reamer. Cuts or constricts tubes from 1/4" to 1-5/8" (6-413mm). Hardened roller and cutter for long working life.

No. 374FC

No. 127FB..... (Mini Tube Cutter).....



SERVICE & SUPPORT



ATS PRO TUBE BEADING KIT

The finest beading tool money can buy. We Guarantee it!



**Meets MILSPEC
MS33660D and SAE
AS5131 standards**



The Parker Beading Tool has been the number one choice of mechanics for making hose-clamping beads in metal tubes since its introduction in the early '40s by The Parker Appliance Company. Its reliability, simplicity, and portability has made the Parker one of the most sought after products in the aviation community. Thousands of these tools were made and sold, right up until production ceased in the late '50s. And to this day, no other tool has even come close to matching its quality. That's why for the last 20 years we've visited flea markets, auctions, and even garage sales to find these priceless gems for the aviation community. In fact, we were the sole supplier of the Parker Beading Tool right up until our supply ran out. When we announced that we could no longer supply the Parker, our normally reasonable customers suddenly threatened us with riot if we didn't bring them back... Fast! And that's exactly what we did.

By special arrangement, we tooled up and recreated the Parker in every detail. We made sure nothing was overlooked: from the smooth contours that makes it feel so comfortable in your hand, right down to the wooden tool holder for that "classic" look. Of course, we couldn't resist showing off by adding a few improvements of our own. Such as ground, hardened, and polished surfaces and high-polymer gripping jaws for mar-free beads in aluminum, copper, brass, and mild steel tubes ranging from 1/4" to 1" diameter. We know we've got it right, and that's why our ATS Pro Beading Tool Kit carries the ATS Pro Lifetime warranty.

Here's my personal guarantee to you: Try our ATS Pro Beading Kit for 30 days and if you're not 100% satisfied, call me toll free at 1-800-248-0638 and I will personally make sure that you get a full refund including your shipping costs. No questions asked.

-- Des Lynch, General Manager

Also available are our new ATS Pro Mini Beading Kits (p/n TB145A series). They use the same components and have the same exceptional quality as the Pro Beading Kit. Each kit is designed to cover a set of commonly used sizes, and can be easily up-graded by adding more dies and frames as needed.



TB145A Mini Kit

PART NO.	TUBE SIZES	PRICE
TB145A-1	1/4"	
TB145A-2	3/8", 1/2", & 5/8"	
TB145A-3	3/4", 1"	
AP145	ATS Pro Beading Kit all sizes 1/4" to 1"	



SERVICE & SUPPORT

1- PRIMER PISTOL™

Primer Pistol™ is the simple and cost effective way to apply small amounts of primer paint and liquid with minimal cleanup time. It's a very handy tool that uses disposable 35mm film canisters as the delivery jar so that you'll use that expensive primer in stingy amounts. It also makes cleanup a snap -- just throw away the jar and the pickup tube and you're done. A great toolbox item for touch-up work.

- No. SA-PP01(Primer Pistol)
 No. SA-PP01H.....(Replacement siphon tubes-pack of 10)



2 - HEAVY DUTY PRODUCTION PAINT GUNS

Designed for day in and day out professional use. Non-bleeder, siphon feed with external mix. Operates on 40 to 85 psi at 5 to 12 CFM. Includes 1 quart cup.

- No. 36622.....



3 - EXTREME SIMPLE GREEN

Extreme Simple Green's new aircraft cleaning product, cuts through tough, built up grease, oil, dirt, pollution, insect residue and impact soils. We've found no other aircraft-approved product on the market that matches Extreme Simple Green's cleaning performance. Simple Green will cause no harm to aircraft structural metals, plastics, paints, or coatings.

- No. ESGAC32.....(Quart)



4 - PHENOLIC SCRAPERS

Phenolic scrapers are perfect for safely removing sealants, adhesives, stickers, labels, grime, and more. They are extremely durable and will easily slice through sealants, but will not damage the underlying structure.

PART NO.	FIG	TYPE	SIZE	PRICE
PH01	a	Hand	3/4" x 8"	
PH02	a	Hand	1" x 8"	
PH03	a	Hand	1-1/2" x 8"	
PH04	a	Hand	2" x 8"	
PHRG01	b	Air Gun	2" x 9"	
PHRG02	b	Air Gun	2" x 3-3/4"	
PH-SET		Set of all 6 scrapers		




5- GENERAL PURPOSE STRAIGHT SCALE

Compact general purpose weight and force measurement instrument. 50 lbs. capacity in 8 oz. increments. Non-corrosive brass with numeral and gradations deeply embossed in black. Precision springs calibrated by certified weights for accuracy to within one graduation. Knurled knob for tare and zero adjustment. Dual graduations - English and metric. Can be used vertically or horizontally.

- No. 5A354



SERVICE & SUPPORT



1 - MICRO-MESH™ AIRCRAFT WINDOW RESTORATION KIT

For over 25 years, the Micro-Mesh™ system is the method of choice to repair scratched and crazed acrylic surfaces by private pilots, mechanics, and boat owners. The secret to Micro-Mesh's effectiveness is in the cushioned backed abrasives which minimizes the deep, random scratching and unnecessary steps, unavoidable with conventional abrasives. The results: fewer steps and the best surface finish possible. Micro-Mesh™ has been used extensively in military and commercial applications to restore damaged windows and canopies.

- No. KR-70 (Restores up to 30 Sq. Ft.).....
- No. HP-100 (Restores up to 60 Sq. Ft.).....
- No. 3MG8..... (Windshield Polish & Scratch Remover (8oz)).....



2 - ATS PRO MINI VACUUM

We've redesigned our popular Mini Vacuum Cleaner to provide even more quality and value for your money. The vacuum housing section is now manufactured from cast aluminum, and the valves are made from marine-grade brass. Lifetime warranty.

- No. ATSMV01



3 - LOW PROFILE CREEPER

This new, body-fitting design was developed through testing on many body types to provide optimum comfort. Creeper body is 2" longer for a better fit. Improved urethane rollers are now inserted into steel bushings which are molded into the creeper body. Provides added strength and easy roller replacement. Low profile, 7/8" floor clearance. Dimensions: length 38", width 17-1/2", height 4".

- No. 92102 (Highly visible RED color)
- No. 92132 (Replacement wheels)




4 - GREASE JOINT REJUVENATOR

The Grease Joint Rejuvenator opens clogged grease joints and fittings effortlessly in less than a minute. Loosens dried grease in joints with just a tap. Also comes with a flexible shaft.

- No. 7862 (Professional model).....
- No. 7864 (Pocket model).....





SERVICE & SUPPORT

1 - PORTABLE AIR TANK

Comes complete with 3 ft. air hose and tire chuck. 125 PSI working pressure, 160 PSI pressure gauge. Manual shut-off valve. 7 gallon tank capacity.

No. 492Z4



2 - RECOIL AIR HOSE



PART NO.	FITTING	LENGTH	PRICE
425	1/4" NPT	25'	

3 - INDUSTRIAL AIR HOSE WITH FITTINGS



PART NO.	ID	MAX. PSI	FITTING	LEN	PRICE
610	3/8"	200	1/4" NPT	25'	
611	3/8"	200	1/4" NPT	50'	

4 - AIR HOSE COUPLERS

"Quick connect" style plugs and sockets will attach to any 1/4" air line. 1/4" pipe thread fittings.



No. D340.....(Female socket).....

No. P341.....(Male plug).....

5 - INLINE AIR OILER

Automatically feeds your air tools with the proper amount of oil for longer tool life. 1/4" NPT thread.

No. 5830



6 - AIR TOOL OIL

A special oil developed for proper lubrication of air tools. Sold in 1 quart (32 fl. oz.) containers.

No. X-300QT



7 - THREE IN ONE AIR LINE MANIFOLD

Supply three air tools from one source! Use on air hose end or as permanently fixed bench outlet. No need to disconnect/connect to use different tools. Three 1/4" NPT outlets and a single 1/4" NPT inlet makes this a useful shop accessory.

No. 3404



8 - BLOW GUN

Meets OSHA standards as to maximum PSI and noise level.

No. D420.....



9 - SWIVEL CONNECTOR

Eliminates twisted air hoses forever. This connector swivels 360° and keeps your air hose straight no matter how your tool is held. Screws into any 1/4" NPT air tool. It can be used with quick disconnect couplers. Patent pending.

No. 2563



10 - AIR REGULATOR

Proper air pressure and air flow are a must when operating air tools and when painting. Screws into any 1/4" NPT fitting. 160 PSI gauge.

No. 1370



11 - AIR REGULATOR

Fits any tool with 1/4" thread.

No. 5401



12 - SWIVEL CONNECTOR AND REGULATOR

This unit combines a swivel connector and a precision air regulator all in one. The swivel section rotates a full 360° to keep the hose out of your way, while the regulator will accurately control airflow at up to 150 psi. 1/4" NPT thread size.

No. 7922R



13 - PROFESSIONAL AIR REGULATOR

Positive adjustment for accurate air regulating. 1/4" thread.

No. 1824

