



SURFACE PREP TOOLS

1 - ATS RIVET SPOT SAND BLASTER

This self-contained sand blaster gets down to the bare metal. Ideal for sand-blasting rivets to remove corrosion and oxidation or other spotted areas. The abrasive is re-circulated, no mess to clean up. Contains 4 rubber nozzles for flat surfaces, panel edges, and inside and outside corners. Operates on 60 PSI.

No. ATS201



2 - ATS 36 PIECE SURFACE CONDITIONING KIT

A complete sanding and finishing kit that contains a high speed angle sander plus an assortment of 3" sanding discs and surface preparation pads. Includes the following:

- 1 - Coarse Surface Preparation Disc. 10 - 80 Grit Sanding Discs.
- 1 - Medium Surface Preparation Disc. 10 - 100 Grit Sanding Discs.
- 1 - Fine Surface Preparation Disc. 10 - 120 Grit Sanding Discs.

Sander Specifications: 18,000 RPM Free Speed, 3" (76mm) Pad Size, 4-23/32" (120mm) overall length, 1.49 lbs (.68 kg) weight.

No. ATS4106K



3 - SCOTCH-BRITE™ ROLOC SURFACE CONDITIONING KIT

This 20 piece sampler kit includes an assortment of 2" and 3" Scotch-Brite™ surface conditioning discs plus all necessary mandrels for immediate use. Ideal for light deburring and polishing work. The 3M ROLOC™ locking system is superior to all other methods: there is virtually no chance of discs flying off at high speeds. Kit includes:

- 2 each of 2" Dia. discs in S SFN, A VFN, A MED, and A CRS grades.
- 2 each of 3" Dia. discs in S SFN, A VFN, A MED, and A CRS grades.
- 1 each of 2" Roloc Disc Pad - Medium.
- 1 each of 3" Roloc Disc Pad - Medium.
- 2 each of 1/4" threaded shaft for Roloc Pad.

No. 985S.....



4 - SCOTCH-BRITE™ HAND PAD TRIAL PACK

A convenient pack of assorted 6"x 9" hand pads lets you decide which product is right for your application. Each pack contains one of the following:

- Scrubbing Sponge.
- Light duty pad (No. 6448).
- Cleansing pad (No. 7445).
- General purpose pad (No. 7447).
- TWIST-LOK pad holder (No. 961).
- Extra duty pad (No. 6444).
- Heavy duty pad (No. 7440).
- Blending Pad (No. 7446).
- Ultra fine pad (No. 7448).

No. 961S.....



5 - SCOTCH-BRITE™ HAND PADS

Available in various grades to cover all jobs ranging from light deburring to fine polishing. Each pack consists of either 10 or 20 pads. Pad size is 6" x 9".

PART NO.	DESCRIPTION	PKG. QTY.	COLOR	PRICE
6444	Extra Duty	20	Brown	
6448	Light Duty	20	Dark Gray	
7440	Heavy Duty	10	Tan	
7445	Light Duty Cleansing	20	White	
7446	Blending	10	Gray	
7447	General Purpose	20	Maroon	
7448	Ultra-Fine	20	Light Gray	
961H	Twist-Lok Pad Holder			



SURFACE PREP TOOLS



1 - 3M ROLOC™ DISC PADS

For use with 3M Roloc™ discs. The pads are made of medium grade rubber and has a female thread to accept any standard 1/4" x 20 threaded shaft. Note: the threaded shaft is not included with the disc holder and must be ordered separately.

- No. RLP2.....(2" Pad).....
 No. RLP3.....(3" Pad).....
 No. RLTS.....(Threaded Shaft).....



2 - 3M EXL ROLOC UNITIZED WHEELS

EXL unitized wheels are great for edge deburring, blending, and finishing. They leave a very high luster satin finish that's ready for painting or fine polishing.

PART NO.	GRADE	DIAMETER	PRICE
EXL17194	A CRS	2"	
EXL17195	A CRS	3"	
EXL17192	8A MED	2"	
EXL17193	8A MED	3"	
EXL17187	6S FIN	2"	
EXL17189	6S FIN	3"	



3 - 3M SCOTCH-BRITE™ "SE" ROLOC DISCS

SE discs are the choice of professionals when it comes to removing heavy corrosion or surface irregularities. It's very aggressive, open web makes it ideally suited for heavy deburring, cleaning, and finishing applications.

PART NO.	GRADE	DIAMETER	PRICE
SE18081	A CRS	2"	
SE18082	A CRS	3"	
SE18471	A MED	2"	
SE18472	A MED	3"	



4 - 3M SCOTCH-BRITE™ ROLOC DISCS

Scotch-Brite™ discs are excellent for general purpose surface finishing. They provide a burr-free surface suitable for painting or fine polishing. Use them to remove light corrosion, oxides, and coatings. Sold in packs of five (5) discs.

PART NO.	GRADE	DIAMETER	PRICE (5 pcs)
SBD05528	A CRS	2"	
SBD05532	A CRS	3"	
SBD05527	A MED	2"	
SBD05531	A MED	3"	
SBD05523	A VFN	2"	
SBD05530	A VFN	3"	
SBD05522	S SFN	2"	
SBD05529	S SFN	3"	



5 - 3M 6" CUT & POLISH WHEEL

3M Cut & Polish wheel, Medium Grade, 6" Diameter x 1" wide x 1/2" arbor hole. Perfect for deburring and blending aluminum. 1 lbs. Shipping Weight

- No. CP7AM.....



SURFACE PREP TOOLS

1 - 3M COMBI WHEELS

Alternate flaps of coated abrasive and finishing web makes these wheels perfect for blending and finishing work. Requires #1 Roloc holder.

PART NO.	SIZE	GRADE	PRICE
CW80	2-1/4" X 1-1/4"	80	
CW120	2-1/4" X 1-1/4"	120	
CW180	2-1/4" X 1-1/4"	180	



2 - 3M CUT AND POLISH DISC

Made of five discs of tough cutting polishing web ganged together on a shaft. Use for satin finishing or for light to medium duty cleaning applications. Requires #2 Roloc Holder.

PART NO.	SIZE	GRADE	PRICE
CPD3	3" x 1-1/4"	MEDIUM	
CPD4	4" x 1-1/4"	MEDIUM	



3 - 3M CUT AND POLISH FLAP BRUSH

Flaps of heavy duty cutting and polishing web will leave a uniform finish while removing surface imperfections. Medium grade finish. 3" Dia. x 1-3/8" wide. Designed for long-life. Requires #2 Roloc Holder.

No. CPFB



4 - 3M GRAPHICS REMOVAL DISC

Graphics removal discs provide the best way to remove vinyl decals, graphics, tapes, films and adhesives. Their unique construction assures long life and allows easy conformability to contours. Because the discs are flexible and have no sharp edges, they will not damage underlying paint. 4" Dia. x 3/8" wide. Requires #1 Roloc Holder.

No. GRD1



5 - 3M™ STRIPE-OFF GRAPHICS REMOVAL WHEEL

The new 3M Stripe-Off Graphics Removal Wheel is great for removing stripes, decals, or tail numbers from airplanes without damaging the paint finish. Comes ready to use in any air or electric drill. Includes complete instructions. 4" dia x 5/8" wide.

No. 3M7498

