

McFarlane seat rails have only pilot holes drilled in the rail base allowing the installer to exactly match

the aircraft floor rivet pattern. McFarlane discovered while installing and developing our replacement seat rails that the seat rail attachment hole pattern was not consistant from aircraft to aircraft. Even small inconsistancies in the hole locations in the aircraft floor make installation of new seat rails very difficult. For this reason, all McFarlane seat rails have only a few smaller pilot attachment holes drilled at the factory. This allows the installer to precisely locate the attachment holes to match the holes in the aircraft floor. All special sized or machined attchment holes are factory machined to finish dimensions. It is necessary to install all required fasteners when seat rails are installed.

After studying countless worn and failed seat rails McFarlane's rails were designed with 15% more metal in critical areas. The result is more crack resistant, durability, strength and longer life.

Installation Tip: The aircraft floor is subject to corrosion from moisture under the seat rails, be sure to remove and treat any corrosion before installing the new seat rails

installing the new seat rails.							
Description	Part No.	Price	ļĻ	Description	Part No.	Price	
AS0411545-2	05-00346		ļ	AS0511293-3	05-00367		
AS0411545-1	05-00345			AS0511293-4	05-00368		
AS0411545-3	05-00347		IJ	AS0511293-2	05-00366		
AS0411545-4	05-00348		\prod_{L}	AS0511240-4	05-00354		
AS0410219-2	05-00328		\prod_{i}	AS0511240-2	05-00352		
AS0410219-1	05-00327		ΙL	AS0511240-3	05-00353		
AS0410230-2	05-00329		\prod_{i}	AS0511240-6	05-00356		
AS0410230-3	05-00341		H	AS0511240-7	05-00357		
AS0410235-6	05-00344		ΙL	AS0511240-8	05-00358		
AS0410235-1	05-00342		H	AS0511240-9	05-00359		
AS0410235-2	05-00343		H	AS0511243-4	05-00362		
AS0511000-14	05-00331		1 L	AS0511243-5	05-00363		
AS0511000-15	05-00332		1 L	AS0511243-6	05-00364		
AS0511293-1			1 L	AS2414002-1	05-00414		
			lГ	AS2414002-2	05-00415		



RUDDER PEDALS FOR CESSNA AIRCRAFT COMPLETELY NEW RUDDER PEDAL -

- * Less money and longer life!
- * Bronze bushings at the pivot points resist wear and vibration for longer pedal life.

 * Precision cast heat treated aluminum alloy
- Power coat finish for durability and corrosion protection. FAA-PMA direct replacement for Cessna (Part #1460320-1)

Model AP2000-01......PN 05-04165......

RE-BUSHED RUDDER PEDAL -

Model Numbers: 0760678-1, 0760678-2 and 1460320-1

- FAA approved repair for magnesium rudder pedals.
- * Worn and elongated pedal holes are reamed and fitted with bush ings for a longer life
 - Bronze bushings resist vibration and corrosion wear longer than the magnesium casting.
 - * Fits most single engine Cessnas from 1963-1981, except for model 188

choopt for infoder 100		
Model 0760678-1-R	.PN 05-04166	
Model 0760678-2-R	.PN 05-04167	Core
Model 1460320-1-R	.PN 05-04168	Core

Exchange your pedals before they are worn beyond repairable limits! Max Large Hole Diameter - 0-0.405 inches

Max Small Hole Diameter < 0.275 inches

Receive Full Core Credit

Max Large Hole Diameter - 0.405 - 0.465 inches

Max Small Hole Diameter < 0.275 inches

Receive 50% Core Credit

Pedals worn beyond these limits are not eligible for core credit. Rebushed pedals may be returned for core credit but must follow the same criteria.



150/152 SEAT RAIL SCREW KIT SR150-SCREW-KIT

This is screw kit specifically for the Cessna 150/152 seat rails. This #10 Structural Screw Kit contains all screws and nuts required to install four seat rails.

Kit Contains:

- 40 MS27039-1-08 Screw 10-32 x .531
- 2 MS27039-1-09 Screw 10-32 x .594
- 2 MS27039-1-17 Screw 10-32 x 1.094
- 40 MS21044N3 Nut, Nylon Lock

P/N 05-04107.....



Having your seat slide backwards on takeoff or landing is a moment of terror not soon forgotten. We are pleased to announce the new generation universal safety-foot, secondary seat stop, for both pilot and co-pilot seats.

The universal safety-foot prevents this from happening when the pins are not engaged in the seat rails.

The new universal safety-foot meets the requirements of the mandatory compliance, cessná issued, owned advisory SEBO7-5A dated 05/14/2007. This advisory requires all early model single engine Cessna's to have a secondary seat lock installed within 24 month from date of advisory.

The universal safety-foot was issued a "NO HAZARD INSTALLATION APPROVAL" by the FAA on 04/27/2006.

This approval allows the installation of the universal safety-foot by the owner/operator.

Due to the simple and unique design, the universal safety-foot can be installed in approximately 45 minutes, and in most cases, the seat do not have to be removed for the installation.

The universal safety-foot comes with clearly written instructions supplemented by installation pictures. P/N 05-04104.....

FUEL STRAINER KIT FOR CESSNA AIRCRAFT



FS-KT-2 FUEL BOWL KIT (FAA-PMA) - Kit contains: 1 MC0756009-8 Gasket 1 MC0756008-

1 Fuel bowl 1 MCM83248/1-010 O-ring 1 MCM83248/1-111 O-ring 1 MCM83248/1-138 Oring 1 MC0756015-1 Washer 1 MCS1573-3 Nut P/N 05-04425....



FS-KT-3 FUEL STRAINER REBUILD KITS - Kit Washer (1) 0756012-1 Spring

Special electro polished shaft for longer o-ring life. * McFarlane's blue Viton rubber tip will outlast the original in any fuel! P/N 05-04424.....

FUEL STRAINER ASSEMBLY - Kit contains: Gasket Kit, Fuel Bowl, 2Washers, Nut, Plunger, Standpipe, Spring, and Top Assembly. Approved for Cessna models: 182H*,J, K, L, M, N, P, Q, R

P/N 05-04111....

FUEL STRAINER AND CABLE KIT - Kit contains: Gasket Kit, Fuel Bowl, 2 Washers, Nut, Plunger, Standpipe, Spring, Top Assembly, Filter, and Strainer Drain Cable Approved for Cessna models: F182P, Q P/N 05-04112.

FUEL STRAINER PARTS FOR CESSNA AIRCRAFT



FUEL STRAINER STANDPIPE - The last one you will buy! Stainless steel, No more corrosion pits or P/N 05-00281.....

stripped threads, Costs less!

CESSNA MOTOR MOUNT BLOCK **LOCK WASHER**

The already improved motor mount lock washer is now even better. One side is embossed with a surface texture for improved locking strength and to make sure the washer does not slip while tightening. This helps prevent the lock tab from deforming or shearing during installation. It also helps keep the lock tab centered in the lock hole to minimize slack instead of allowing it to rotate to one side during installation. Features: * Up to four times the locking power for less! * FAA approved using stronger material than the original, allowing the standard washer to be eliminated. * Designed with six tabs instead of two. * Easier to use! * Cessna 180, 182, 185, 188, 205, 206, 207, 210, 310, 320, 411, and 414 model circreft. and 414 model aircraft P/N 05-01742.....