


STEEL TAILWHEEL LEAF SPRINGS

Set No.	Spring Width	Hole Dia. Fuselage End	Hole Dia. Tailwheel End	Distance Between Bolt Centers	Original Application	Wt. Lbs.	No. of Springs	Part No.	Price
1	1-1/4"	7/16"	3/8"	12"	Piper J3, PA11, PA11, PA12, PA14, PA15, PA17	3-1/8	3	06-14200	
2	1-1/2"	3/8"	3/8"	10"	T-Craft BC-12D	2-3/4	3	06-14300	
3	1-1/2"	3/8"	7/16"	15"	Aeronca 7AC, 11AC	3-1/2	3	06-14400	
4	1-1/2"	3/8"	3/8"	15"	Homebuilts	1-3/4	1	06-14500	
5	1-1/4"	5/16"	3/8"	11-3/4"	Luscombe	3-1/2	4	06-14600	
6	1-1/4"		Main Leaf Only	11-3/4"	Luscombe	1-1/2	1	06-14700	
7*	1-1/2"	5/8"	7/16"	13-1/8"	Cessna 120-140	4	4	06-14800*	
8	1-1/2"		Main Leaf Only	13-1/8"	Cessna 120-140	1-1/2	1	06-14900	
9	1-1/2"	5/8"	7/16"	13"	Cessna 170	5	5	06-15000	
10	1-1/2"		Main Leaf Only	13"	Cessna 170	1-3/4	1	06-15100	

DISCOUNTS LESS 10% ON 6, 15% ON 10 (ASSORTED)

*P/N 06-14800 has two bends



MAULE ANTI-SHIMMY CONNECTOR SPRING KITS

A high and low frequency spring is used to upset the natural frequency of the tailwheel. The lighter spring is used on the left side. Compression Type Kit

P/N 06-15150.....



TENSION TYPE CONNECTOR SPRING KITS

Kit consists of two tension type springs, two chains and two connector links.

3	Lightweight Spring Kit Scott	P/N	2151	Ea .
	Connector Links			
	Chain			
3				



COMPRESSION TYPE CONNECTOR SPRING KIT

Replace conventional springs with new compression type. Original tension type springs keep rudder post under continuous tension which wears the hinges. Compression type springs keep rudder neutral - no tension on post. Assures more effective steering action. Set of 2 stainless steel springs, (2) 1' chains, 4 connec-

000	tor clips:	P/N 06-15600	
		P/N 06-15700	
Connector Cli	ps	P/N 06-15400	Ea .
Chain	· ·····	P/N 06-15500	/Ft

RUDDER ARMS



SCOTT - Cast aluminum brackets with reinforced chain mounting holes. Originally used on Piper J-3, J-4, J-5, PA-11, PA-18, L-21B. 3/4"dia. post between mounting holes. Scott......P/N 1140.....



HOMEBUILDERS MODEL - Same style as Scott model. 3/4" dia. post and 3/4" arm (width) P/N 06-15900.....



RUDDER ARM 1" SHANK - Originally designed for J-3 through PA-18 series, but adapts nicely to most homebuilts. Code 1

PN 06-01045.....



MATCO TAILWHEELS

Matco tailwheels use a fiberglass reinforced nylon wheel with an operating load of 450 lbs. It takes over 5000 lbs to fail the wheel and it will hold up in the most rigorous conditions. Can be used with 1-.25" or 1.5" leaf spring. These tailwheels are fully steerable, full swivel, and are available with a 6" hard rubber solid tire or with 8" Shin pneumatic tire and tube for heavier aircraft. Tailwheel construction is anodized aluminum. Wt: 5 lbs.

Matco solid rubber tire tailwheel assy PNEUMATIC P/N 06-01615......

Rep	placement Tire (solid rubber) for T-6	P/N 06-00004
	co 6" Pneumatic the tailwheel assy	
	placement 6" Pneumatic Tire Tube	
	co T8" full swiveling pneumatic tire tailw	
	01	P/N 06-01620
Mat	co T8" Replacement Wheel	P/N 06-00565
McC	Creary Replacement 8" Tire 2.80/2.50-4	4PLY
	,	P/N 06-08000
McC	Creary Replacement Tube 8" 280 X 250	X 4
	,	P/N 06-08101
	TAIL \A/	HEEL TIDES

TAILWHEEL TIRES



6X2 AERO CLASSIC SOLID TIRE - Used on Scott 2000, Lang D-501A Tailwheels. Replaces Goodyear 6x2 tire. . P/N 06-01044.....

6X2 GENERAL SOLID TIRE - A flexible rubber tire with four knobs on center hole. This is Scott P/N 1879 used on Scott Model 2000 tailwheels and some Scott 3-24B tailwheels. Also used on Lang D-501A tailwheel. Replaces Goodyear

6x2 (11 knobs) solid tailwheel tire...... P/N 06-15800

6.50 X 2.50 SOLID TIRE - Maule P/N 23 for Model SFSA tailwheels.
Tire OnlyP/N 06-00409
Tire w/ Bearings P/N 06-00410
2 80/2 50 YA MCCREARY PNEIMATIC TIRE - Used on Scott Model

2600 8" wheel assembly. Tire P/N 06-08000

	Tube	. P/N 06-08101
2.80/2.50 X4 A	AZUSA TIRE	
	Tire	. P/N 06-01287
	Tube	. P/N 06-01288
10 V 2 E0 V A	MCCDEADY DNEIMAN	TIC TIDE - Lload on Coatt Madel

10 X 3.50 X 4 MCCREARY PNEUMATIC TIRE - Used on Scott Model 3450 tailwheel and Scott Model 3245-1 10" wheel assembly. Tube P/N 06-08102

400 X 4 AERO CLASSIC - used on Grove Model 49-1A; Tire: 11.5" Dia. Looks like scaled down 500x5 tire.

Tire	P/N 06-00844
	P/N 06-08102
400X6 AERO CLASSIC	The New Light Sport Tire, 400-6 6 Ply with a
Deep Aircraft Type Tread	d.
Tire	P/N 06-00944
Tube	P/N 06-00945