


WESTACH INSTRUMENTS

FAA-APPROVED WESTACH INSTRUMENTS FOR CERTIFICATED AIRCRAFT



Westach Instruments now has FAA approval on all the instruments listed below. These gauges are fully approved for installation in factory aircraft, so the weight and cost savings of Westach gauges can now be enjoyed by owners of production aircraft as well as home builders. All systems are complete with instrument (internally lighted), senders and leads. The multi-position CHT and EGT systems also include sender selector switch with wiring. The EGT and CHT systems are furnished with #713-2DVK and #713-5W senders. If threaded senders are preferred, #713-4D and #713-7D senders can be furnished for an additional \$35.00 each. The EGT gauges have an adjustable pointer. All of these gauges fit 2-1/4" panel hole.

Description	Model	Part No.	Price
EGT Gauge 700-1700°F (1 Position)	K28PX	10-01237	.
EGT Gauge 700-1700°F (4 Positions)	K28PCX	10-01362	.
Air Temperature Gauge	K34X	10-01363	.
EGT Gauge 700-1700°F (6 Positions)	K28PDX	10-01291	.
CHT Gauge 100-700°F (1 Position)	K29PX	10-01250	.
CHT Gauge (K29PX) w/713-7D sender	K29PX	10-00187	.
CHT Gauge 100-700°F (4 Positions)	K29PCX	10-01269	.
CHT Gauge (K29PCX) w/713-7D sender	K29PCX	10-02793	.
CHT Gauge 100-700°F (6 Positions)	K29PDX	10-01283	.
CHT Gauge (K29PDX) w/713-7D sender	K29PDX	10-00375	.
Carb Temp Gauge -50 to +50°C	K30X	10-01248	.
EGT/CHT Gauge 700-1700°F/100-700°F	K31X	10-01232	.
EGT/CHT Gauge (K31X) w/713-7D Probe	K31X	10-00161	.
K31X Kit w/713-4D/713-7D Probes	K31X	10-00180	.
Dual EGT Gauge 700-1700°F	K32X	10-01272	.
Dual CHT Gauge 100-700°F	K33X	10-01297	.
Oil Temp Gauge 100-260°F	K35X	10-01265	.
Water Temp Gauge 100-260°F	K36X	10-01388	.
Fuel Pressure Gauge 0-16 PSI	K37K	10-01663	.
Oil Pressure Gauge 0-100 PSI	K38X	10-01299	.
Pressure Gauge 0-80PSI	K39X	10-01664	.
Spare CHT Senders (18mm)	713-5W	10-01231	.
Spare CHT Senders (14mm)	713-4W	10-01271	.
Spare EGT Senders	713-2DVK	10-01228	.
CHT Senders (3/8-24 Bayonet)	713-7D	10-01238	.
EGT Senders (1/4" pipe bayonet)	713-4D	713-4D	.
TSO'D 2-Conductor EGT/CHT Extension Leads with sockets and sleeves at both ends.			
Westach TSO'D EGT/CHT 6ft Extension	--	10-02161	.
Westach TSO'D EGT/CHT 8ft Extension	--	10-02162	.

Note: Westberg 713 Series Thermocouples are for TSO'd CHT & EGT Gauges only. They have one small pin and one large gold color pin. 712 Series Thermocouples cannot be used with TSO'd Gauges.

WESTACH EGT/CHT COMBINATION KITS HOMEBUILDERS ENGINE ANALYZER KITS



Complete kits include CHT or EGT gauge, selector switch and probes for each cylinder of 4 or 6 cylinder engine. EGT kits furnished with long-life #712-2DVK probes.

Kit	4 Cyl.		6 Cyl.	
	Part No.	Price	Part No.	Price
14MM CHT Kit	10-17114	.	10-17214	.
18MM CHT Kit	10-17118	.	10-17218	.
EGT Kit	10-17300	.	10-17400	.



HOMEBUILDERS ADD-ON KITS

Add-on kits for single-position system already installed. Consists of selector switch & 3 or 5 probes for CHT or EGT to provide analyzer for 4 or 6 cylinder engines. EGT kits furnished with long-life #712-2DVK probes.

Kit	4-Cyl.		6-Cyl.	
	Part No.	Price	Part No.	Price
CHT Kit	10-01064	.	10-01066	.
EGT Kit	10-01065	.	10-01067	.

FAA APPROVED CHT/EGT ADD-ON KITS

These kits include FAA approved Westberg selector switches and probes which can be used to convert the FAA approved kits on this page to engine analyzers.

Kit	4 Cyl.		6Cyl.	
	Part No.	Price	Part No.	Price
14MM CHT Kit	10-01068	.	10-01073	.
18MM CHT Kit	10-01069	.	10-01072	.
EGT Kit	10-01070	.	10-01074	.

WESTACH INSTRUMENTS FOR ULTRALIGHTS



Single CHT ... 10-00419 Single EGT 10-01268
Thermocouple for CHT (14MM) P/N 10-01227
Probe for EGT P/N 10-01225

SINGLE TACH (Tachometer requires no sender.).....

P/N	RPM	Powered By	P/N	RPM	Powered By
2CT5-2	0-5000	Mag	2CT5A-2/6	0-5000	CDI
2CT8-2	0-8000	Mag	2CT8A-2/6	0-8000	CDI

DUAL TACH/CHT (All CHT's are 0-600° F).....

P/N	RPM	Powered By	P/N	RPM	Powered By
2DC9-5-2	0-5000	Mag	2DC9-5A-2/6	0-5000	CDI
2DC9-8-2	0-8000	Mag	2DC9-8A-2/6	0-8000	CDI



WESTACH 2DC8 DUAL CHT

Cylinder Head Temp. Range: 100-700°F. Use 48" Type J thermocouples. Input: 9.81 mv @ 400F, Weight: 2.7 oz.

P/N 10-01791



BULLET SHELL MOUNTING CASE FOR 2" ROUND WESTACH GAUGES

Molded plastic housing clamps to ultralite tubing or motorcycle handle bar. Swivels 360° at any angle. Furnished with chrome plated installation hardware. P/N 10-01290.....



WESTACH TACHOMETERS FOR DUAL IGNITION

2" Round..... P/N 10-01302
3" Round..... P/N 3CT8A-2/6
2" Square..... P/N 2AT8A-2/6
3" Square..... P/N 3AT8A-2/6



WESTACH ROTOR TACH

For the rotorcraft pilot, the rotor tachometer is a valuable aid to safe flight. Utilize a state-of-the-art Hall-effect sensor to accurately gauge rotor RPM based on the rotational positions of a series of magnets which are easily mounted on the rotor shaft or hub. Sensor and magnets are supplied with the gauge along with complete assembly instructions. 12 volt DC power required. Square style, 2 1/4 inch.

0-500 Tooth ... 10-03808 0-500 Mag. Pulse... 10-03809
0-800 Tooth ... 10-03810 0-800 Mag. Pulse... 10-03811



WESTACH LOW POWER ADAPTER

For those instruments requiring 12V DC, this low output regulator/rectifier provides sufficient power to operate up to 2 WESTACH instruments. Converts lighting coil AC to 12V DC. Includes instructions, wiring harness.

P/N 329-LPA

THERMOCOUPLES BAYONET TYPE

Threaded Fitting with 1/8"..... P/N AN4076

Pipe thread to mate with bayonet type thermocouple.

UNIVERSAL REPLACEMENT PROBES

EGT Probe, Type K, Style 86255
P/N 11-01022
CHT Probe, Type J, Style AN 5541-1
P/N AN5541-1
CHT Probe, Type K..... P/N 11-01023
Cessna CHT Probe S2334-3 P/N 06-00703

Note: These probes will only work with a grounded system.



THERMOCOUPLE LEADS HEAVY-WEIGH AN SPEC. WIRE LEADS

8 Ohm Resistance, Iron-Constantan, 90 In.
P/N 42535
8 Ohm Resistance, Iron-Constantan, 144 In.
P/N 42536
8 Ohm Resistance, Iron-Constantan, 20 Ft.
P/N 42537
EGT E.W. Rings..... P/N 11-05672.....

LIGHT-WEIGHT 20 GA. WIRE LEADS

2 Ohm Resistance, Copper-Constantan, 10 Ft. . P/N 10-10900
2 Ohm Iron-Constantan, 5 Ft. 7 In. P/N 10-11000
8 Ohm Resistance, Iron-Constantan, 10 Ft. P/N 10-11110

Terminals on instrument end of lead are plain eye type (one for No. 8 screw and one for No. 10 screw).

IN